

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1. Product identifier
- Trade name:
GERANIUM ABSOLUE
 - CAS Number:
8000-46-2
 - EC number:
290-140-0
2. Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation
Aromatic ingredient(s). Industrial use only.
 - Uses advised against
not applicable
3. Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
ROBERTET 37 avenue Sidi-Brahim
BP 52100 F-06131 GRASSE CEDEX
Tel: +33 (0)4 93 40 33 66 (during normal opening times 8h-18h)
Fax: +33 (0)4 93 70 68 09
legis@robertet.com
4. Emergency telephone number:
- ORFILA (INRS): + 33 (0)1 45 42 59 59 Poison Control and Toxicovigilance Centers ANGERS: 02 41 48 21 21
BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37, TOULOUSE: 05 61 77 74 47

SECTION 02: Hazards identification

1. Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05

Eye Dam. 1 - H318 Causes serious eye damage.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.
Skin Sens. 1 - H317 May cause an allergic skin reaction.
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

- Additional information:
Full text of H statements: see section 16

2. Label elements
- Labelling according to Regulation (EC) No 1272/2008

- Hazard pictograms



GHS05



GHS02



GHS07

- Signal word

(continued on page 2)

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE

(continued of page 1)

Danger

- Hazard-determining components of labelling:
Geraniol / dl-Citronellol / Geranyl formate / Citronellyl formate / d, l-Isomenthone / Menthone
- Hazard statements
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P302+P352 IF ON SKIN: Wash with plenty of water.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.
- 3. Other hazards
 - Results of PBT and vPvB assessment
 - PBT:
None of the ingredients is listed.
 - vPvB:
None of the ingredients is listed.
 - Determination of endocrine-disrupting properties
118-58-1 Benzyl salicylate : List II

SECTION 03: Composition/information on ingredients

- Chemical characterization
- CAS Number: 8000-46-2
- EINECS Number: 290-140-0
- Dangerous components:

CAS Number		%
106-24-1	Geraniol EC number: 203-377-1 Eye Dam. 1 - H318; Skin Irrit. 2 - H315, Skin Sens. 1 - H317	30,00- 40,00
106-22-9	dl-Citronellol EC number: 203-375-0 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	20,00- 30,00
105-86-2	Geranyl formate EC number: 203-339-4 Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 2 - H411	5,00- 10,00
105-85-1	Citronellyl formate EC number: 20-333-89 Skin Irrit. 2 - H315, Skin Sens. 1B - H317	5,00- 10,00
491-07-6	d,l-Isomenthone EC number: 207-727-4 Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	5,00- 10,00

(continued on page 3)

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE
(continued of page 2)

78-70-6	Inhalative: ATE = 11 mg/l Linalool EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,00- 5,00
64-17-5	ethanol EC number: 200-578-6 Flam. Liq. 2 - H225; Eye Irrit. 2 - H319	1,00- 5,00
5392-40-5	Citral EC number: 226-394-6 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1 - H317	1,00- 5,00
16409-43-1	ROSE OXIDE (Tetrahydro-4-methyl-2-(2-methylpropen- 1-yl)pyran) EC number: 240-457-5 Repr. 2 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319; Repr. 2 - H361	1,00- 5,00
106-29-6	Geranyl butyrate EC number: 203-381-3 Aquatic Chronic 2 - H411	0,10- 1,00
10458-14-7	Menthone EC number: 233-944-9 Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	0,10- 1,00
106-25-2	Nerol EC number: 203-378-7 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,10- 1,00
105-90-8	Geranyl propionate EC number: 203-344-1 Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Chronic 2 - H411	0,10- 1,00
141-16-2	Citronellyl butyrate EC number: 205-463-4 Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 1 - H410 (M=1)	0,10- 1,00
141-14-0	Citronellyl propionate EC number: 205-461-3 Skin Sens. 1B - H317; Aquatic Chronic 2 - H411	0,10- 1,00
105-87-3	Geranyl acetate EC number: 203-341-5 Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Chronic 3 - H412	0,10- 1,00
87-44-5	beta-Caryophyllene EC number: 201-746-1 Asp. Tox. 1 - H304; Skin Sens.	0,10- 1,00

(continued on page 4)

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31, Latest Amendment

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE

(continued of page 3)

106-23-0	1B - H317 Citronellal EC number: 203-376-6 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,10- 1,00
6728-26-3	trans-2-Hexenal EC number: 229-778-1 Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Aquatic Chronic 2 - H411	0,10- 1,00
120-51-4	Benzyl benzoate EC number: 204-402-9 Acute Tox. 4 - H302; Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 2 - H411	0,001- 0,10
97-53-0	Eugenol EC number: 202-589-1 Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,001- 0,10
5989-27-5	d-limonene ((R)-p-mentha-1,8-diène) EC number: 227-813-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=1); Aquatic Chronic 3 - H412	0,001- 0,10
127-91-3	6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane EC number: 204-872-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 1 - H410 (M=1)	0,001- 0,10
118-58-1	Benzyl salicylate EC number: 204-262-9 Eye Irrit. 2 - H319, Skin Sens. 1B - H317; Aquatic Chronic 3 - H412	0,001- 0,10
586-62-9	Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317; Aquatic Chronic 2 - H411	0,001- 0,10
24717-85-9	Citronellyl tiglate EC number: 246-426-2 Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=10), Aquatic Chronic 1 - H410 (M=1)	0,001- 0,10

F

(continued on page 5)

PRODUCT : GERANIUM ABSOLUE
(continued of page 4)
SECTION 04: First aid measures

1. Description of first aid measures
 - General information:
Seek immediate medical advice.
 - After inhalation:
Supply fresh air; consult doctor in case of complaints.
 - After skin contact:
Immediately wash with water and soap and rinse thoroughly.
 - After eye contact:
Rinse opened eye for several minutes under running water. Then consult a doctor.
 - After swallowing:
If symptoms persist consult doctor.
2. Most important symptoms and effects, both acute and delayed
No further relevant information available.
3. Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 05: Firefighting measures

1. Extinguishing media
 - Suitable extinguishing agents:
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - For safety reasons unsuitable extinguishing agents:
Non applicable
2. Special hazards arising from the substance or mixture
No further relevant information available.
3. Advice for firefighters
No specific advice

SECTION 06: Accidental release measures

1. Personal precautions, protective equipment and emergency procedures
 - For non-emergency personnel
Wear protective equipment. Keep unprotected persons away.
 - For emergency responders
Wear protective equipment. Keep unprotected persons away.
2. Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
3. Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
4. Reference to other sections
See Section 13 for disposal information.

SECTION 07: Handling and storage

1. Precautions for safe handling
Avoid contact with skin and eyes Wear appropriate protective equipments (gloves, glasses ...)
- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
2. Conditions for safe storage, including any incompatibilities
 - Requirements to be met by storerooms and receptacles:
Avoid exposure to extreme temperatures. Avoid prolonged contact with certain plastic materials (PVC..)
 - Information about storage in one common storage facility:

(continued on page 6)

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE

(continued of page 5)

- Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.

3. Specific end use(s)
No further relevant information available.

SECTION 08: Exposure controls/personal protection
1. Control parameters

- Ingredients with limit values that require monitoring at the workplace:

64-17-5	ethanol	1,00- 5,00 %
VLEP		
Short-term value	9500	mg/m3
	5000	ppm
Long-term value	1900	mg/m3
	1000	ppm

- Ingredients with biological limit values:
No further relevant information available.

2. Exposure controls

- Appropriate engineering controls
No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures:
Avoid contact with the eyes and skin.
 - Eye/face protection
Safety glasses
 - Skin protection
 - Protection of hands:
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - Material of gloves
 - Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - Respiratory protection:
Not required.
 - Thermal hazards
No further relevant information available.
 - Environmental exposure controls
No further relevant information available.

SECTION 09: Physical and chemical properties
Information on basic physical and chemical properties
General Information

Physical state	Fluid
Form:	Fluid
Odour:	Characteristic
Odour threshold:	Characteristic
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	> 35 °C
Flammability	Not applicable.
Lower and upper explosion limit	

(continued on page 7)

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE
(continued of page 6)

Lower:	Not determined.
Upper:	Not determined.
Flash point:	>= 48 °C
Auto-ignition temperature:	Not determined.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9150 - 0,9450 (20°C)
Vapour density	Not determined.
Particle characteristics	Not determined.
Other information	No further relevant information available.
Surface tension:	Not determined.
Explosive properties:	Not determined.
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable
Other safety characteristics	Not determined.
Evaporation rate	Not determined.

SECTION 10: Stability and reactivity

1. Reactivity
No further relevant information available.
2. Chemical stability
Good stability at conditions of use mentioned in point 7 and 10

(continued on page 8)

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31, Latest Amendment

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE

(continued of page 7)

3. Possibility of hazardous reactions
Reacts with strong oxidising agents.
4. Conditions to avoid
Avoid temperatures near the flash point (see Section 9). Avoid contact with oxidizing agents.
5. Incompatible materials:
No further relevant information available.
6. Hazardous decomposition products:
No dangerous decomposition products known.

SECTION 11: Toxicological information

1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

*

GERANIUM ABSOLUE

Inhalative, LC50/4h: 196,43 mg/l

- Skin corrosion / irritation
Causes skin irritation.
- Serious eye damage / irritation
Causes serious eye damage.
- Respiratory / skin sensitization
May cause an allergic skin reaction.
- Germ cell mutagenicity
Based on available data, the classification criteria are not met.
- Carcinogenicity
Based on available data, the classification criteria are not met.
- Reproductive toxicity
Based on available data, the classification criteria are not met.
- STOT single exposure
Based on available data, the classification criteria are not met.
- STOT repeated exposure
Based on available data, the classification criteria are not met.
- Aspiration hazard
Based on available data, the classification criteria are not met.

2. Information on other hazards

- Endocrine disrupting properties
118-58-1 Benzyl salicylate : List II
- Other information
No further relevant information available.

SECTION 12: Ecological information

1. Toxicity
 - Aquatic toxicity:
Based on available data, the classification criteria are not met.
2. Persistence and degradability

(continued on page 9)

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE
(continued of page 8)

Harmful to aquatic life with long lasting effects.

3. Bioaccumulative potential
Not available

4. Mobility in soil
Not available

5. Results of PBT and vPvB assessment

- PBT:
Not applicable.

- vPvB:
Not applicable.

6. Endocrine disrupting properties
For information on endocrine disrupting properties see section 11.

7. Other adverse effects
No further relevant information available.

SECTION 13: Disposal considerations

1. Waste treatment methods
- Recommendation
Must be specially treated adhering to official regulations.
 - Uncleaned packaging:
 - Recommendation:
Disposal must be made according to official regulations.

SECTION 14: Transport information

1. UN number or ID number

.ADR UN1197

.IMDG UN1197

.IATA UN1197

2. UN proper shipping name

.ADR 1197 EXTRACTS, LIQUID

.IMDG EXTRACTS, LIQUID

.IATA EXTRACTS, LIQUID

3. Transport hazard class(es)

.ADR

.Class 3 (F1) Flammable liquids.

.Label

3



.IMDG

.Class 3 Flammable liquids.

.Label

3



.IATA

(continued on page 10)

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31, Latest Amendment

Version number: 10.0 (replaces version: 9.0)

Revision: 09.09.2024

Printing date: 10.09.2024

PRODUCT : GERANIUM ABSOLUE

(continued of page 9)

. Class 3 Flammable liquids.

. Label 3



4. Packing group

. ADR III

. IMDG III

. IATA III

5. Environmental hazards:

Not applicable.

. Danger code (Kemler): 30

. EMS Number: F-E,S-D

6. Special precautions for user

Warning: Flammable liquids.

7. Maritime transport in bulk according to IMO instruments

Not applicable.

• Transport/Additional information:

. ADR

. Excepted quantities (EQ): E1

. Limited quantities (LQ) 5L

. Transport category 3

. Tunnel restriction code D/E

. IMDG

. Limited quantities (LQ) 5L

. Excepted quantities (EQ) E1

• UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III

SECTION 15: Regulatory information

1. Safety, health and environmental regulations/legislation specific for the substance or mixture

• REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

• Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• National regulations:

• Waterhazard class:

Water hazard class 2 (Self-assessment): hazardous for water.

(continued on page 11)

PRODUCT : GERANIUM ABSOLUE
(continued of page 10)

2. Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

1. Relevant phrases

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

2. Department issuing MSDS:
Legislation / Regulatory Affair Department

3. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative

4. Sources

RIFM Database
Suppliers Information
REACH registration dossier
IFRA/IOFI Labelling Manual

- * • Date of previous version:
25.06.2024
- * • Version number of previous version:
9.0
- * Data compared to the previous version altered.